

# MATERIAL SAFETY DATA SHEET

Updated on: 04-Feb-2024

## 1. Identification

Product Identifier:	ZEPOXY 2011
Synonyms:	BPA based epoxy resin & Amine based curing agent
Manufacturer of	Ressichem Pvt. Ltd.
Zepoxy 2011 :	D-83, S.I.T.E Industrial area, Mangophir Road, Karachi.
Email:	<u>info@ressichem.com</u>
	www.ressichem.com
Emergency Phone Number:	+92 2132593800
	+92 309 7772464

## 2. Composition/Information on Ingredients

## Part A

Chemical Name:	Diglycidyl ether of bisphenol-A
Chemical Formula:	Variable, typically (CH2-CH2-O-R-O-CH2-CH <sub>2</sub> ) <sub>n</sub>
Part B	
Chemical Name:	Aliphatic Polyamide
Chemical Formula:	Variable, typically CnH(2n+1)NH2

## 3. Hazards Identification

### **Classification of the Substance or Mixture:**

GHS Classification:	Not classified as hazardous according to GHS criteria.
Hazards:	
May cause skin irritation.	
May cause eye irritation.	
Harmful if swallowed.	
May cause respiratory irritation	l.
Prevention:	

Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling.

Wear protective gloves/eye protection/face protection.

# Response:

lf in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue
	rinsing.
If swallowed:	Rinse mouth. Do NOT induce vomiting.
lf on skin:	Wash with plenty of water.
If inhaled:	Remove person to fresh air and keep comfortable for breathing.

### Storage:

Store locked up.

Store in a well-ventilated place.

#### Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.





4. Fire-Fighting M	leasures
Special Firefighting Procedu	esistant foam, dry chemical, or carbon dioxide.
5. First Aid Measu	ures
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
Skin Contact:	Wash affected area thoroughly with soap and water.
Eye Contact:	Flush eyes with plenty of water for at least 15 minutes. Ensure adequate flushing by separating eyelids with fingers.
Ingestion:	Rinse mouth with water. Do not induce vomiting. Seek medical attention immediately.
6. Accidental Rele	ease Measures
Personal Precautions:	Wear appropriate protective equipment.
Environmental Precautions:	
Methods for Containment an	
7. Handling and S	jitorage
Handling:	Avoid contact with eyes, skin, and clothing. Use with adequate ventilation .Wash thoroughly after handling.
Storage:	Store in a cool, dry, well-ventilated area away from incompatible materials.
C C	Keep containers tightly closed when not in use.
8. Exposure Conti	rols/Personal Protection
Engineering Controls:	Use local exhaust ventilation to maintain airborne concentrations below exposure limits.
Personal Protective	•
Eye Protection:	Safety glasses or goggles.
Skin Protection:	Wear protective gloves and clothing.
Respiratory Protection:	Use NIOSH approved respirator if ventilation is inadequate.
9. Physical and Cl	hemical Properties
•	
Part A	
	Creamy viscous Liquid
Appearance: Odor:	Creamy viscous Liquid Characteristic
Appearance: Odor:	Characteristic
Appearance: Odor: pH:	Characteristic Not applicable
Appearance: Odor:	Characteristic
Appearance: Odor: pH: Boiling Point/Range:	Characteristic Not applicable 205 - 248 °C (401 - 478 °F)
Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range:	Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable
Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range: Flash Point:	Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable Greater than 135 °C (275 °F) Seta flash Closed Cup ASTM D 3828
Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range: Flash Point: Evaporation Rate:	Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable Greater than 135 °C (275 °F) Seta flash Closed Cup ASTM D 3828 Less than 1 (n-Butyl acetate=1)
Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range: Flash Point: Evaporation Rate: Flammability:	Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable Greater than 135 °C (275 °F) Seta flash Closed Cup ASTM D 3828 Less than 1 (n-Butyl acetate=1) Not flammable
Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range: Flash Point: Evaporation Rate: Flammability: Solubility:	Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable Greater than 135 °C (275 °F) Seta flash Closed Cup ASTM D 3828 Less than 1 (n-Butyl acetate=1) Not flammable
Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range: Flash Point: Evaporation Rate: Flammability: Solubility: <b>Part B</b>	Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable Greater than 135 °C (275 °F) Seta flash Closed Cup ASTM D 3828 Less than 1 (n-Butyl acetate=1) Not flammable Insoluble in water
Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range: Flash Point: Evaporation Rate: Flammability: Solubility: <b>Part B</b> Appearance:	Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable Greater than 135 °C (275 °F) Seta flash Closed Cup ASTM D 3828 Less than 1 (n-Butyl acetate=1) Not flammable Insoluble in water Clear, Orange to brown Liquid
Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range: Flash Point: Evaporation Rate: Flammability: Solubility: <b>Part B</b> Appearance: Odor:	Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable Greater than 135 °C (275 °F) Seta flash Closed Cup ASTM D 3828 Less than 1 (n-Butyl acetate=1) Not flammable Insoluble in water Clear, Orange to brown Liquid Characteristic
Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range: Flash Point: Evaporation Rate: Flammability: Solubility: <b>Part B</b> Appearance: Odor: pH:	Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable Greater than 135 °C (275 °F) Seta flash Closed Cup ASTM D 3828 Less than 1 (n-Butyl acetate=1) Not flammable Insoluble in water Clear, Orange to brown Liquid Characteristic Not applicable
Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range: Flash Point: Evaporation Rate: Flammability: Solubility: <b>Part B</b> Appearance: Odor: pH: Boiling Point/Range:	Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable Greater than 135 °C (275 °F) Seta flash Closed Cup ASTM D 3828 Less than 1 (n-Butyl acetate=1) Not flammable Insoluble in water Clear, Orange to brown Liquid Characteristic Not applicable 205 - 248 °C (401 - 478 °F)
Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range: Flash Point: Evaporation Rate: Flammability: Solubility: <b>Part B</b> Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range:	Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable Greater than 135 °C (275 °F) Seta flash Closed Cup ASTM D 3828 Less than 1 (n-Butyl acetate=1) Not flammable Insoluble in water Clear, Orange to brown Liquid Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable
Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range: Flash Point: Evaporation Rate: Flammability: Solubility: <b>Part B</b> Appearance: Odor: pH: Boiling Point/Range: Melting Point/Range: Flash Point:	Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable Greater than 135 °C (275 °F) Seta flash Closed Cup ASTM D 3828 Less than 1 (n-Butyl acetate=1) Not flammable Insoluble in water Clear, Orange to brown Liquid Characteristic Not applicable 205 - 248 °C (401 - 478 °F) Variable Greater than 124°C (255.2°F) Seta flash Closed Cup ASTM D 3828



D-83, S.I.T.E., Industrial Area, Manghopir Road, Karachi - 75530, Pakistan
 +92-21-32593800-02
 +92-309-7772464

www.ressichem.com



Chemical Stability: Stab	le under normal	conditions.		
Possibility of Hazardous Reaction		None under normal o	conditions.	
Conditions to Avoid:		Heat, flames, sparks	Heat, flames, sparks, and other sources of ignition.	
Incompatible Materials:		Strong oxidizing age	-	
Hazardous Decomposition Products:		Carbon monoxide, carbon dioxide, nitrogen oxides.		
11. Toxicological Info	rmation			
Acute Toxicity:		LD50 (Oral, Rat): > 2,0	LD50 (Oral, Rat): > 2,000 mg/kg (estimated)	
Skin Irritation:		May cause skin irrita	May cause skin irritation.	
Eye Irritation:		May cause eye irrita	May cause eye irritation.	
Sensitization:		Not a skin sensitizer	Not a skin sensitizer.	
Carcinogenicity:		Not classified as car	cinogenic.	
12. Ecological Inform Ecotoxicity: Persistence and Degradability:	ation	No data available. No data available. No data available.		
<b>14. Transport Inform</b> The data provided in this section	cordance with all loca ation on is for information o	al, regional, national, and interna nly and may not be specific to yo	ur package size ormode of transport. You will need to	
<ul> <li>13. Disposal Conside</li> <li>Dispose of waste material in ac</li> <li>14. Transport Information</li> <li>The data provided in this section</li> <li>apply the appropriate regulation</li> </ul>	cordance with all loca ation on is for information o ns to properly classify	al, regional, national, and interna nly and may not be specific to yo 7 your shipment for transportatio	ur package size ormode of transport. You will need to n.	
<ol> <li>Disposal Conside</li> <li>Dispose of waste material in ac</li> <li>Transport Information</li> <li>The data provided in this section</li> </ol>	cordance with all loca ation on is for information o	al, regional, national, and interna nly and may not be specific to yo	ur package size ormode of transport. You will need to	
<ol> <li>Disposal Conside</li> <li>Dispose of waste material in ac</li> <li>Transport Information</li> <li>The data provided in this section</li> <li>apply the appropriate regulation</li> </ol>	cordance with all loca ation on is for information o ns to properly classify UN	al, regional, national, and interna nly and may not be specific to yo 7 your shipment for transportatio	ur package size ormode of transport. You will need to n.	
<ul> <li>13. Disposal Conside</li> <li>Dispose of waste material in ac</li> <li>14. Transport Information</li> <li>The data provided in this section</li> <li>apply the appropriate regulation</li> <li>Regulatory information</li> </ul>	cordance with all loca ation on is for information o ns to properly classify UN number	al, regional, national, and interna nly and may not be specific to yo y your shipment for transportatio <b>Proper shipping name</b>	ur package size ormode of transport. You will need to n. <b>Classes/Packing Group</b>	
<ul> <li>13. Disposal Conside Dispose of waste material in ac</li> <li>14. Transport Information</li> <li>The data provided in this section apply the appropriate regulation</li> <li>Regulatory information</li> <li>CFR</li> </ul>	cordance with all loca ation on is for information o ins to properly classify UN number 3082 / 2735	al, regional, national, and interna nly and may not be specific to yo y your shipment for transportatio <b>Proper shipping name</b> RESIN / HARDENER	ur package size or mode of transport. You will need to n. <b>Classes/Packing Group</b> Class 8 III	

## 15. Regulatory Information

There are no established exposure limits for the mixture, however, dust and fumes from processing should be ventilated adequately. To the best of our knowledge:

None of the mixture components are on the health & safety reporting list.

YES

None of the mixture components are in this product are under a Chemical Test Rule.

None of the mixture components are listed under TSCA section 12b (export notification).

None of the mixture components in this material have an SNUR under TSCA.

None of the mixture components in this material have an RQ under CERLCA.

None of the mixture components in this material have a TPQ under SARA.

None of the mixture components in this material is reported under section 313.

Clean Air Act:

Marine Polluted :

This material does not contain any hazardous air pollutants.

Clean Water Act: None of the chemicals in this product are listed as hazardous substances under the CWA.

None of the chemicals in this product are listed as priority pollutants under CWA.

None of the chemicals in this product are listed as toxic pollutants under CWA.

OSHA:



D-83, S.I.T.E., Industrial Area, Manghopir Road, Karachi - 75530, Pakistan
 +92-21-32593800-02 +92-309-7772464

www.ressichem.com



None of the chemicals in this product are considered highly hazardous by OSHACalifornia Prop 65:California no significant risk level: none of the chemicals in this product are listed. European / International RegulationsEuropean labeling in accordance with EU/EC Directives.Hazard Symbols:not availableRisk Phrases:no Information availableSafety Phrases:no Information availableWGK:no Information available.

# 16. Other Information

This Material Safety Data Sheet (MSDS) is provided for informational purposes only. The information contained herein is believed to be accurate, but no representations, guarantees, or warranties of any kind are made to its accuracy, reliability, or completeness.



D-83, S.I.T.E., Industrial Area, Manghopir Road, Karachi - 75530, Pakistan
 +92-21-32593800-02 +92-309-7772464
 www.ressichem.com