

MATERIAL SAFETY DATA SHEET

Updated on: 13-May-2024

1. Identification

	I. Identificat	lion					
	Product Identifier:	ZEPOXY RER-134 X90					
Synonyms:		Semi solid epoxy resin solution					
	Manufacturer of Zep						
	, RER-134 X90:	D-83, S.I.T.E Industrial area, Mangophir Road, Karachi, Pakistan.					
	Email:	info@ressichem.com					
		www.ressichem.com					
	Emergency Phone N	lumber: +92 2132593800					
		+92 309 7772464					
	2. Compositi	2. Composition/Information on Ingredients					
	Chemical Name:	Diglycidyl ether of Bisphenol-A					
		Aromatic Hydrocarbon					
	Chemical Formula:	Variable, typically (CH2-CH2-O-R-O-CH2-CH2)n					
	3. Hazards I	dentification					
	Classification	of the Substance or Mixture:					
	GHS Classification:	Not classified as hazardous according to GHS criteria.					
	Hazards:						
	May cause skin irrit	ation.					
	May cause eye irrita	ation.					
	Harmful if swallowe	ed.					
	May cause respirato	pry irritation.					
	Precautionary	autionary Statements:					
	Prevention:						
Avoid breathing dust/fume/gas/mist/vapors/spray.							
Wash hands thoroughly after handling.							
	Wear protective glov	ves/eye protection/face protection.					
	Response:						
	lf in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.					
	If swallowed:	Rinse mouth. Do NOT induce vomiting.					
	lf on skin:	Wash with plenty of water.					
	If inhaled:	Remove person to fresh air and keep comfortable for breathing.					
	Storage:						
	Store locked up.						
	Store in a well-vent	tilated place.					
	Disposal:						
	Dispose of contents/container in accordance with local/regional/national/international regulations.						
	4. Fire-Fighting Measures						
	Extinguishing N	Extinguishing Media:					
	cohol-resistant foam, dry chemical, or carbon dioxide.						
Special Firefighting Procedures:							
Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.							





5. First Aid Measures

5. First Aid Measur	rst Aid Measures					
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.					
Skin Contact:	Wash affected area thoroughly with soap and water.					
Eye Contact:	Flush eyes with plenty of water for at least 15 minutes. Ensure adequate flushing by separating eyelids with					
	fingers.					
Ingestion:	Rinse mouth with water. Do not induce vomiting. Seek medical attention immediately.					
6. Accidental Relea	se Measures					
Personal Precautions:	Wear appropriate protective equipment.					
Environmental Precautions:	Prevent from entering into soil, waterways, or drains.					
Methods for Containment and C	Clean-Up: Absorb spillage with non-combustible absorbent material. Scoop up with a non- sparking tool.					
7. Handling and Sto	rage					
Handling:	Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling.					
Storage:	Store in a cool, dry, well-ventilated area away from incompatible materials.					
	Keep containers tightly closed when not in use.					
 8. Exposure Contro	ls/Personal Protection					
Engineering Controls:	Use local exhaust ventilation to maintain airborne concentrations below exposure limits.					
Personal Protective Ed	juipment:					
Eye Protection:	Safety glasses or goggles.					
Skin Protection:	Wear protective gloves and clothing.					
Respiratory Protection:	Use NIOSH approved respirator if ventilation is inadequate.					
9. Physical and Che	9. Physical and Chemical Properties					
Appearance:	Clear, colorless to light yellow Liquid					
Odor:	Characteristic					
pH:	Not applicable					
, Boiling Point/Range:	140 - 160 °C (284 - 320 °F)					
Melting Point/Range:	Variable					
Flash Point:	Greater than 30 °C (86 °F) (based on xylene) ASTM D93					
Evaporation Rate:	Less than 1 (n-Butyl acetate=1)					
, Flammability:	Flammable Liquid					
Solubility:	Insoluble in water					
 10. Stability and Rea	ctivity					
Chemical Stability: Sta	Chemical Stability: Stable under normal conditions.					
Possibility of Hazardous React						
Conditions to Avoid:	Heat, flames, sparks, and other sources of ignition.					
Incompatible Materials:	Strong oxidizing agents, acids, bases.					
Hazardous Decomposition Prod	lucts: Carbon monoxide, carbon dioxide, nitrogen oxides.					
11. Toxicological Info	ormation					
Acute Toxicity:	LD50 (Oral, Rat): > 2,000 mg/kg (estimated)					
Skin Irritation:	May cause skin irritation.					
Eye Irritation:	May cause eye irritation.					
Sensitization:	Not a skin sensitizer.					
Carcinogenicity:	Not classified as carcinogenic.					



D-83, S.I.T.E., Industrial Area, Manghopir Road, Karachi - 75530, Pakistan
+92-21-32593800-02
+92-309-7772464
www.ressichem.com



12. Ecological Information

Ecotoxicity:	No data available.
Persistence and Degradability:	No data available.
Bioaccumulative Potential:	No data available.

13. Disposal Considerations

Dispose of waste material in accordance with all local, regional, national, and international regulations.

14. Transport Information

The data provided in this section is for information only and may not be specific to your package size ormode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

Regulatory information	UN number	Proper shipping name	Classes/Packing Group	
CFR	3082	RESIN	Class 9 III	
TDG	3082	RESIN	Class 9 III	
IMO/IMDG	3082	RESIN RESIN	Class 9 III	
IATA (Cargo)	3082		Class 9 III	
Marine Polluted:	YES			

15. Regulatory Information

There are no established exposure limits for the mixture, however, dust and fumes from processing should be ventilated adequately. To the best of our knowledge:

None of the mixture components are on the health & safety reporting list.

None of the mixture components are in this product are under a Chemical Test Rule.

None of the mixture components are listed under TSCA section 12b (export notification).

None of the mixture components in this material have an SNUR under TSCA. None of the mixture components in this material have an RQ under CERLCA.

None of the mixture components in this material have a TPQ under SARA.

None of the mixture components in this material is reported under section 313.

Clean Air Act:

This material does not contain any hazardous air pollutants.

Clean Water Act:

None of the chemicals in this product are listed as hazardous substances under the CWA.

None of the chemicals in this product are listed as priority pollutants under CWA.

None of the chemicals in this product are listed as toxic pollutants under CWA. OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA California Prop 65:

California no significant risk level: none of the chemicals in this product are listed. European / International Regulations

 $\label{eq:entropy} \mbox{European labeling in accordance with EU/EC Directives}.$

- Hazard Symbols: not available Risk Phrases: no Information available
- Safety Phrases: no Information available WGK: no Information available.



D-83, S.I.T.E., Industrial Area, Manghopir Road, Karachi - 75530, Pakistan
+92-21-32593800-02 +92-309-7772464
www.ressichem.com



16. Other Information

This Safety Data Sheet (SDS) is provided for informational purposes only. The information contained herein is believed to be accurate, but no representations, guarantees, or warranties of any kind are made to its accuracy, reliability, or completeness.



D-83, S.I.T.E., Industrial Area, Manghopir Road, Karachi - 75530, Pakistan
+92-21-32593800-02
+92-309-7772464
www.ressichem.com