

MATERIAL SAFETY DATA SHEET

Updated on: 24-May-2024

1. Identification

| i. identifica | |
|----------------------|---|
| Product Identifier: | ZEPOXY RER-527 EL |
| Synonyms: | Electrical Grade Epoxy Resin |
| Manufacturer of Ze | |
| RER-527 EL: | D-83, S.I.T.E Industrial area, Mangophir Road, Karachi, Pakistan. |
| Email: | info@ressichem.com |
| | www.ressichem.com |
| Emergency Phone | Number: +92 2132593800 |
| | +92 309 7772464 |
| 2. Composi | tion/Information on Ingredients |
| Chemical Name: | Diglycidyl ether of Bisphenol-A |
| Chemical Formula: | Variable, typically (CH ₂ -CH ₂ -O-R-O-CH ₂ -CH ₂)n |
| 3. Hazards | Identification |
| | of the Substance or Mixture: |
| GHS Classification: | |
| Hazards: | |
| May cause skin irri | tation |
| May cause eye irrit | |
| Harmful if swallow | |
| May cause respirat | |
| Precautionary | • |
| Prevention: | |
| Avoid breathing du | st/fume/gas/mist/vapors/spray. |
| - | ighly after handling. |
| Wear protective glo | oves/eye protection/face protection. |
| Response: | |
| If in eyes: | Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. |
| If swallowed: | Rinse mouth. Do NOT induce vomiting. |
| lf on skin: | Wash with plenty of water. |
| If inhaled: | Remove person to fresh air and keep comfortable for breathing. |
| Storage: | |
| Store locked up. | |
| Store in a well-ver | itilated place. |
| Disposal: | |
| Dispose of contents | s/container in accordance with local/regional/national/international regulations. |
| 4. Fire-Figh | ting Measures |
| Extinguishing | Media: |
| | lcohol-resistant foam, dry chemical, or carbon dioxide. |
| Special Firefighting | g Procedures: |
| Wear self-containe | d breathing apparatus and protective clothing to prevent contact with skin and eyes. |
| | |





5. First Aid Measures

| 5. First Aid Measures | 5 |
|---|--|
| Inhalation: | Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. |
| | Wash affected area thoroughly with soap and water. |
| | Flush eyes with plenty of water for at least 15 minutes. Ensure adequate flushing by separating eyelids with |
| | fingers. |
| Ingestion: | Rinse mouth with water. Do not induce vomiting. Seek medical attention immediately. |
| 6. Accidental Release | e Measures |
| Personal Precautions: | Wear appropriate protective equipment. |
| Environmental Precautions: | Prevent from entering into soil, waterways, or drains. |
| Methods for Containment and Cle | ean-Up: Absorb spillage with non-combustible absorbent material. Scoop up with a non- sparking tool. |
| 7. Handling and Stor | age |
| Handling: | Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. |
| Storage: | Store in a cool, dry, well-ventilated area away from incompatible materials. |
| - | Keep containers tightly closed when not in use. |
| 8. Exposure Controls | s/Personal Protection |
| Engineering Controls: | Use local exhaust ventilation to maintain airborne concentrations below exposure limits. |
| Personal Protective Equ | |
| Eye Protection: | Safety glasses or goggles. |
| Skin Protection: | Wear protective gloves and clothing. |
| Respiratory Protection: | Use NIOSH approved respirator if ventilation is inadequate. |
| | |
| 9. Physical and Chen | nical Properties |
| Appearance: | Clear, colorless to light yellow Liquid |
| Odor: | Characteristic |
| рН: | Not applicable |
| Boiling Point/Range: | 205 - 248 °C (401 - 478 °F) |
| Melting Point/Range: | Variable |
| Flash Point: | Greater than 126 °C (258.8 °F) Setaflash Closed Cup ASTM D 3828 |
| Evaporation Rate: | Less than 1 (n-Butyl acetate=1) |
| Flammability: | Not flammable |
| Solubility: | Insoluble in water |
| 10. Stability and Reac | tivity |
| Chemical Stability: Stab | le under normal conditions. |
| Possibility of Hazardous Reaction | |
| Conditions to Avoid: | Heat, flames, sparks, and other sources of ignition. |
| Incompatible Materials: | Strong oxidizing agents, acids, bases. |
| Hazardous Decomposition Produc | cts: Carbon monoxide, carbon dioxide, nitrogen oxides. |
| 11. Toxicological Infor | rmation |
| Acute Toxicity: | LD50 (Oral, Rat): > 2,000 mg/kg (estimated) |
| Skin Irritation: | |
| Eye Irritation: | • |
| Sensitization: | Not a skin sensitizer. |
| | |
| Hazardous Decomposition Product 11. Toxicological Infor Acute Toxicity: Skin Irritation: Eye Irritation: | cts: Carbon monoxide, carbon dioxide, nitrogen oxides. rmation LD50 (Oral, Rat): > 2,000 mg/kg (estimated) May cause skin irritation. May cause eye irritation. |



D-83, S.I.T.E., Industrial Area, Manghopir Road, Karachi - 75530, Pakistan
 +92-21-32593800-02
 +92-309-7772464
 www.ressichem.com



12. Ecological Information

| Ecotoxicity: | No data available. |
|--------------------------------|--------------------|
| Persistence and Degradability: | No data available. |
| Bioaccumulative Potential: | No data available. |

13. Disposal Considerations

Dispose of waste material in accordance with all local, regional, national, and international regulations.

14. Transport Information

The data provided in this section is for information only and may not be specific to your package size ormode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

| Regulatory information | UN number | Proper shipping name | Classes/Packing Group | |
|------------------------|--------------|----------------------|-----------------------|--|
| CFR | 3082 | RESIN | Class 9 III | |
| TDG | 3082 | RESIN | Class 9 III | |
| IMO/IMDG | 3082 | RESIN | Class 9 III | |
| IATA (Cargo) | 3082 | RESIN | Class 9 III | |
| Marine Polluted: | YES | | | |

15. Regulatory Information

There are no established exposure limits for the mixture, however, dust and fumes from processing should be ventilated adequately. To the best of our knowledge:

None of the mixture components are on the health & safety reporting list.

None of the mixture components are in this product are under a Chemical Test Rule.

None of the mixture components are listed under TSCA section 12b (export notification).

None of the mixture components in this material have an SNUR under TSCA. None of the mixture components in this material have an RQ under CERLCA.

None of the mixture components in this material have a TPQ under SARA.

None of the mixture components in this material is reported under section 313.

Clean Air Act:

This material does not contain any hazardous air pollutants.

Clean Water Act:

None of the chemicals in this product are listed as hazardous substances under the CWA.

None of the chemicals in this product are listed as priority pollutants under CWA.

None of the chemicals in this product are listed as toxic pollutants under CWA. OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA California Prop 65:

California no significant risk level: none of the chemicals in this product are listed. European / International Regulations

 $\label{eq:entropy} \mbox{European labeling in accordance with EU/EC Directives}.$

- Hazard Symbols: not available Risk Phrases: no Information available
- Safety Phrases: no Information available WGK: no Information available.



D-83, S.I.T.E., Industrial Area, Manghopir Road, Karachi - 75530, Pakistan
 +92-21-32593800-02 +92-309-7772464
 www.ressichem.com



16. Other Information

This Safety Data Sheet (SDS) is provided for informational purposes only. The information contained herein is believed to be accurate, but no representations, guarantees, or warranties of any kind are made to its accuracy, reliability, or completeness.



D-83, S.I.T.E., Industrial Area, Manghopir Road, Karachi - 75530, Pakistan
 +92-21-32593800-02
 +92-309-7772464
 www.ressichem.com