



Thin applied plaster 4mm to 6mm

Application of Ressi PlastoRend 110


RESSICHEM
adding life and value to your property

Step 1

Application of Ressi **PlastoRend 110** over the base plastered prepared surface and finishing as required


Note: This Prepared surface can be conventional Plaster or a Recommended base plaster by Ressichem eg: Ressi PlastoRend 120

RESSICHEM
adding life and value to your property



Step 2

Application of **Silblock**
(Water Repellent
Sealer) over the
prepared surface of
Ressi PlastoRend 110



A Durable
Finishing
solution



Advantages

- ✓ Ready to use; just add water.
- ✓ Saves time, No site mix.
- ✓ Environmentally friendly; Less wastage
- ✓ Spray by machine
- ✓ Good decorative finish
- ✓ Low water absorption
- ✓ Good compressive and flexural strength
- ✓ Breathable Surface
- ✓ Durable color, UV stable pigments
- ✓ Good bond strength
- ✓ Other decorative finishes and treatments possible over substrate
- ✓ Accurate cement content and consistent strength (No dosage and batch errors)



RESSICHEM
adding life and value to your property

Thank You

Where To Find Us

D-83, S.I.T.E., Industrial
Area, Manghopir Road, Karachi -
75530, Pakistan.

Tel: +92-21-32593800-02

Fax: +92-21-32593803

Email: info@ressichem.com

Website: www.ressichem.com

